



FOREST RBS® Motorized Roman Blinds



THE WORLD
BEHIND
YOUR
DRAPERIES

FOREST RBS® MOTORIZED



Scan for more information on the FOREST RBS Motorized System



25
White

RBS MOTORIZED ROMAN BLIND SYSTEM

- The most durable and functional roman blind system on the market. RBS Motorized includes integrated Velcro tape so the fabric can be easily attached and removed.
- Aluminum, white, powder coated extrusion. Best suited for light weight fabrics in contract or residential applications.
- Maximum weight is 10 lbs with a maximum width of 84".
- The motor and lithium iOn battery each include a 1 year warranty.

ASSEMBLED SYSTEM








Includes headrail with integrated Velcro tape, cord roll supports, brackets, counterweight (if requested), motor and remote or wall switch. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed.



NEW! OPERATE
MERCURY SHADES WITH
BOND BRIDGE PRO!

52955-25
Bond Bridge Pro


FOREST RBS® MOTORIZED

RBS MOT	COMPONENT	RBS MOT	COMPONENT
•	 <p>41019-25 RBS Headrail with integrated Velcro tape 19' x 10 rails/bundle bundle = 190'</p>	•	 <p>49008-00 Shade Leveler</p>
•	 <p>49010-25 RBS Cord Roll Support w/ quick lock, 12' drop</p>	•	 <p>39007-25 Velcro Tape 27 yds. per roll</p>
•	 <p>62913-25 RBS End Caps left & right</p>	•	 <p>49006-25 Fiberglass Spines, 19' 3/16" diameter</p>
•	 <p>41119-90 19' Rod aluminum 3/16" x 3/16"</p>	•	 <p>49014-25 Plastic Snap Ring</p>
•	 <p>49005-25 Counterweight, 19' aluminum 1" x 1/8"</p>	•	 <p>49013-25 Plastic Ring Cord Guide</p>
•	 <p>43202-25 Swivel Wall Bracket</p>	•	 <p>62910-25 RBS Tubular Lithium Motor, 1-year warranty 24 V, includes plug</p>
•	 <p>43003-25 Swivel Ceiling Bracket</p>	•	 <p>62912-25 Lithium Battery & Adaptor includes USB charging cable</p>
•	 <p>43033-25 Click Wall Bracket</p>	•	 <p>62911-25 Remote for Lithium Motor 15 channel w/ holder</p>
•	 <p>43034-25 Hidden Click Multi Bracket</p>	•	 <p>52947-25 Wireless Connector One-way transmitter to control drapery by third party app or by home automation. Use with Forest Shuttle & tubular motors.</p>
•	 <p>43004-25 Click Ceiling Bracket</p>	•	 <p>52953-25 Smart Plug</p>

• Standard item in assembled sets.

RBS® TUBULAR MOTOR SPECIFICATIONS

MOTOR SPECIFICATIONS



62910-25 RBS Tubular Lithium Motor

- Lifts up to 15 lbs.
- 24 Vdc, 10 Watt
- Torque: 0.8 Nm
- 34 rpm
- 350 revolutions per 8 hr charge
- Rechargeable
- 1 Year Warranty