



FOREST RBS® Motorized Roman Blinds



THE WORLD
BEHIND
YOUR
DRAPERIES

FOREST RBS® MOTORIZED



Scan for more information on the
FOREST RBS Motorized System



25
White



NEW! OPERATE
MERCURY SHADES WITH
BOND BRIDGE PRO!

52955-25
Bond Bridge Pro








RBS MOTORIZED ROMAN BLIND SYSTEM












- The most durable and functional roman blind system on the market. RBS Motorized includes integrated Velcro tape so the fabric can be easily attached and removed.
- Aluminum, white, powder coated extrusion. Best suited for light weight fabrics in contract or residential applications.
- Maximum weight is 10 lbs with a maximum width of 84".
- The motor and lithium iOn battery each include a 1 year warranty.

ASSEMBLED SYSTEM

Includes headrail with integrated Velcro tape, cord roll supports, brackets, counterweight (if requested), motor and remote or wall switch. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed.

FOREST RBS® MOTORIZED


RBS MOT	COMPONENT
●	 41019-25 RBS Headrail with integrated Velcro tape 19' x 10 rails/bundle bundle = 190'
●	 49010-25 RBS Cord Roll Support w/ quick lock, 12' drop
●	 62913-25 RBS End Caps left & right
●	 41119-90 19' Rod aluminum 3/16" x 3/16"
●	 49005-25 Counterweight, 19' aluminum 1" x 1/8"
●	 43202-25 Swivel Wall Bracket
●	 43003-25 Swivel Ceiling Bracket
●	 43033-25 Klick Wall Bracket
●	 43034-25 Hidden Klick Multi Bracket
●	 43004-25 Klick Ceiling Bracket
●	 49008-00 Shade Leveler
●	 39007-25 Velcro Tape 27 yds. per roll

RBS MOT	COMPONENT
●	 49006-25 Fiberglass Spines, 19' 3/16" diameter
●	 49014-25 Plastic Snap Ring
●	 49013-25 Plastic Ring Cord Guide
●	 62903-25 RBS Tubular Motor 24 V, double shaft, lift up to 10 lbs
●	 52928-25 7' 6" cord 52934-25 16' cord includes 24 V power supply
●	 52615-25 RBS Tubular Lithium Motor, 24 V, includes plug
●	 52616-25 Lithium Battery & Adaptor includes USB charging cable
●	 52931-25D white 59D black +10% Diamond Remote RF, 15 channel w/ holder Range 98'
●	 52933-25 white 59 black +10% Diamond Wall Switch 2 channel
●	 52960-25 white, 59 black +10% EasyTouch Remote, 6 channel 52961-00 Clear plastic holder; order separately.
●	 52947-25 Wireless Connector One-way transmitter to control drapery by third party app or home automation.

● Standard item in assembled sets.

RBS® TUBULAR MOTOR SPECIFICATIONS

MOTOR SPECIFICATIONS



62910-25 RBS Tubular Lithium Motor

- Lifts up to 15 lbs.
- 24 Vdc, 10 Watt
- Torque: 0.8 Nm
- 34 rpm
- 350 revolutions per 8 hr charge
- Rechargeable
- 1 Year Warranty