



BCS[®] Blind Contract System

Heavy duty motorized roman shade system

THE WORLD
BEHIND
YOUR
DRAPERIES

















BCS® ROMAN SHADE SYSTEM





- A heavy duty motorized blind system best suited for medium to heavy weight draperies.
- Aluminum, white, powder coated extrusion.
- Maximum recommended weight is 45 lbs per shade using the AC motor.
- Maximum recommended weight is 16 lbs. per shade using the iOn motor.
- Maximum width is 120". Minimum width is 30".
- Ultra quiet <40dB and easy to install.
- The AC motor includes a 10-year warranty. The iOn motor includes a 3-year warranty.
- See all motor specifications pages 119-120.

ASSEMBLED PRICING

Includes headrail, cord roll supports, brackets, counterweight (if requested), Velcro profile, motor and EasyTouch remote. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed. Freight is additional.

BCS	COMPONENT
●	 61019-25 BCS Headrail white, 19' aluminum extrusion
●	 61119-25 BCS 8-Angle Tube, 19'
●	 62309-25 BCS End Caps left & right
●	 62000-25 BCS Cord Roll House & Drum contains 18' cord
●	 62200-25 BCS Tube Support place on open end of tube
●	 63003-25 BCS Swivel Wall Bracket
●	 63000-25 BCS Swivel Ceiling Bracket
●	 62100-25 BCS Center Support 2" x 2.25"
●	 49005-25 Bottom weight, 19' aluminum 1" x 1/8"
●	 49006-25 Fiberglass Spines, 19' 3/16" diameter
●	 49008-25 Shade Leveler
●	 61125-25 BCS Velcro 7/8" x 4'

● Standard item in assembled sets.

BCS	COMPONENT
●	 62901-25 6 Nm AC Motor, built in RF See motor specs on the following page
●	 68002-25 1.8 Nm iOn Motor, built in RF See motor specs on the following page
●	 78005-25 Micro USB Charging Cable for 68002-25
●	 68002-BCS-CR Crown for 68002-25
●	 68002-BCS-DR Drive for 68002-25
●	 68002-BCS-BA Bracket Adaptor for 68002-25
●	 52960-25 white 52960-59 black +10% EasyTouch Remote 6 channel hand held remote Optional holder below can be ordered separately
●	 52961-00 EasyTouch Remote Holder Optional and must be ordered separately
●	 52933-25 white 52933-59 black +10% EasyTouch Wall Switch 2 channel
●	 52955-25 Bond Bridge Pro For voice and app control over RF. Easily pair using the Forest remote. Controls all of your devices in one hub.
●	 52954-25 Sidekick Gen 3 Remote Works with or without Bond Bridge Pro, 1-5 channels.



NEW!



68002 iOn

52615 iOn RBS

62903 AC RBS



USE WITH


ENDEAVOR
RBS
BCS®

✓
-
✓

-
✓
-

-
✓
-

SPECIFICATIONS

TORQUE	1.8 Nm	0.8 Nm	0.8-1.0 Nm
POWER	12V + LiOn battery	12V 9.6-Watt + LiOn battery pack	24V 16-Watt + 110V transformer
SPEED	25 rpm	20/30/40 rpm	34 rpm
DB LEVEL	36-40 dB	<40 dB	<40 dB
MAX WEIGHT	16 lbs	10 lbs	10 lbs
BUILT-IN COMMUNICATION	RF	Forest Link RF/Bluetooth 	RF
AVG LIFECYCLE PER CHARGE	6 Months - 1 up & 1 down	6 Months - 1 up & 1 down	n/a
CHARGING	6-8 hrs, charger included	6-8 hrs, charger included	n/a
APP CONTROL	Bond Bridge & Sidekick	Forest Link	Bond Bridge & Sidekick
WARRANTY	3 years	5 years on motor, 2 on battery	5 years



SMART HOME
READY




APP
CONTROL



WIRELESS
REMOTE

62901 AC



ENDEAVOR	-
RBS	-
BCS®	✓
TORQUE	6.0 Nm
POWER	110V 113-Watt
SPEED	33 rpm
DB LEVEL	<40 dB
MAX WEIGHT	45 lbs
BUILT-IN COMMUNICATION	RF
AVG LIFECYCLE PER CHARGE	n/a
CHARGING	n/a
APP CONTROL	Bond Bridge & Sidekick
WARRANTY	10 years

OUR WIDE VARIETY OF CONTROL OPTIONS


make finding a fit for your windows easy – controlling your roman shades by remote, wall switch, voice, app or even by home automation system.



EASYTOUCH CONTROLS

We have designed a new line of controls with a modern look and feel. Range of controls is up to 98'.

- The EasyTouch remote controls up to 6 systems, with the option to deactivate unused channels.
- EasyTouch wall switch is a sleek 2-channel option for your wall.



VOICE & APP CONTROL

Use Forest Link technology (WiFi) or the Bond Bridge Pro (RF) to integrate your window treatments into the Forest Connect App, Google Home, Alexa, and Siri, as well as automation systems like Crestron, Control 4, Elan, and more.



SIDEKICK GEN 3 REMOTE

5- or 1-channel remote control. Pairs directly with tubular motor. Use with Bond Bridge Pro or without. Estimated 10-year battery life.



PRODUCT INFORMATION

- Elegant shaped aluminum profile, with hook tape
- Quality aluminum profile - chromated, powder coated
- Easy assembly and smooth operation guaranteed
- Simple and quick installation with smart Klick® bracket
- Manual setting of the tubular motor
- Radio Frequency control
- Easy to connect to building automation systems
- Cord drums can be placed at any position in the profile
- Max fabric weight per cord roll: 8.75 lbs; total system 45 lbs*
- Maximum height 18'
- Torque: 6 Nm
- Length: 19'

ADJUSTING MOTOR

The tubular motor can be adjusted remotely.




FOR USE IN

Residential and contract market, or at any location where a high quality and smooth operated motorized roman shade system is required.

MOUNTING

Wall or ceiling mount



SMART FUNCTIONS

The Forest Wireless Connector is an easy way to make roman shades 'smart'. It simply opens and closes the shades using an analogue timer.


By using a smart plug wireless control through services such as Apple HomeKit or Google Assistant now becomes available. This RF Device can also be easily incorporated into most popular building management systems, including dry contact systems.





PROFILE

- Size 2 1/2" x 3"
- Weight 11.74 ounces/ft.
- Aluminum extrusion 6063 TS
- Finish available: white



- ① Klick® Bracket
- ② Endcap
- ③ Counterweight bar
- ④ Velcro Hook Tape
- ⑤ Track
- ⑥ Tube 8-angle
- ⑦ Cord Roll
- ⑧ Center Support
- ⑨ Forest Tubular Motor
- ⑩ Ceiling Swivel Bracket

