

## DSXL® LED MOTORIZED

DSXL® is an elegantly shaped profile enhanced with LED lighting to create a special atmosphere. This collection works effortlessly with all Forest Shuttle® motors, offering extensive control possibilities.

DSXL®LED MOTORIZED TRACK  
FOREST SHUTTLE®HD MOTOR  
FOREST SHUTTLE®ECO MOTOR  
FOREST SHUTTLE®iON MOTOR

THE WORLD  
BEHIND  
YOUR  
DRAPERIES





**DSXL LED FINISH** XX = finish color





25  
White

## DSXL® LED MOTORIZED DESIGN SYSTEM + LED LIGHTING

- Elegantly shaped aluminum extrusion, white, powder coated and lubricated with a patented process. LED lighting lights up the backside of drapery or the track itself. Ultra-quiet and smooth operation for contract or residential applications.
- LED strips have low energy consumption, are eco-friendly, dimmable. Lifespan is 30,000 hours.
- Maximum weight is 3 lbs/ft.
- Motorize with any Forest Shuttle. All Forest Shuttle motors include a 10-year warranty, the only one on the market.
- Control drapes with a gentle tug, wall switch remote, any home automation system or by smart phone app.






### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or rippiefold carriers, brackets, lighting components, motor, and power supply plus choice of EasyTouch remote or wall switch.

| DSXL LED | COMPONENT  |
|----------|--|
| •        | <br><b>52925-25</b> Shuttle HD (M) white<br><b>52939-25</b> Shuttle Eco (S) white   |
| •        | <br><b>52934-25</b><br>Shuttle HD & Eco Power Cord<br>24 volt power supply with 16' cord  |
| •        | <br><b>52948-25</b><br>Wi-Fi Dongle - Order 1/motor<br>For voice & app control over wi-fi.<br>Provides bi-directional feedback.<br>Use with Shuttles HD and Eco, not iOn. |
| •        | <br><b>52933-25</b> white<br><b>52933-59</b> black<br>EasyTouch Wall Switch<br>2 channel  |

| DSXL LED | COMPONENT   |
|----------|---|
| •        | <br><b>52960-25</b> white<br><b>52960-59</b> black<br>EasyTouch Remote<br>6 channel hand held remote<br>Optional holder below can be ordered separately    |
| •        | <br><b>52961-00</b><br>EasyTouch Remote Holder<br>Optional and must be ordered separately  |
| •        | <br><b>52955-25</b><br>Bond Bridge Pro<br>For voice and app control over RF. Easily pair using the Forest remote. Controls all of your devices in one hub. |
| •        | <br><b>52954-25</b> white<br>Sidekick Gen 3 Remote<br>Works with or without Bond Bridge Pro.<br>1-5 channels.  |

# DSXL® LED MOTORIZED

| DSXL LED  | COMPONENT   | DSXL LED   | COMPONENT   |
|---|---|--|---|
|  | <b>3219-25</b><br>DSXL LED<br>Motorized Track<br>white<br>19' x 10 tracks<br>per bundle<br>bundle = 190'  |    | <b>9012-25</b><br>Transport Belt<br>Kevlar reinforced   |
|    | <b>2302-25</b><br>DSXL Swivel Ceiling Bracket   |     | <b>52512-25</b> white<br>Transport Belt Connector   |
|    | <b>2301-25</b><br>DSXL Wall Bracket w/ Swivel   |    | <b>2402-25</b><br>Motor Pulley/Return Pulley Set<br>metal   |
|                          | Two Piece Connected Snap<br>Carrier w/ Square Base, in<br>plastic sleeve. Use 1 1/4"<br>snap tape<br><b>2114-25</b><br>60% fullness, 2 5/8" OC<br><b>2111-25</b><br>80% fullness, 2 3/8" OC<br><b>2112-25</b><br>100% fullness, 2 1/8" OC<br><b>2115-25</b><br>120% fullness, 1 7/8" OC |   | <b>3000-00</b><br>LED Strip, 3000k/24v<br>30,000 hr lifespan<br>dimmable  |
|    | <b>52008-25</b><br>Slim Line Klick Carrier<br>Draperies hang to conceal track   |  | <b>3010-00</b><br>LED Strip Cover   |
|    | <b>52009-25</b><br>Ball Bearing Carrier<br>for motorization   |   | <b>3030-00</b><br>Mounting Device<br>for LED Strip  |
|                                 | <b>B8809-23-00</b> Overlap R<br><b>B8809-24-00</b> Underlap L<br>Plastic Snap Master  |   | <b>3103-25</b><br>LED Dimmer<br>Allows control of light strip<br>with remote  |
|    | <b>9040-25</b><br>FES Butt Master   |  | <b>3100-00</b> with 6' 6" cord<br><b>3105-25</b> with 13" cord<br>LED Cable<br>Connects LED Strip 3000-00<br>to LED Dimmer 3103-25<br>24 volt |
|   |   |  | <b>3106-25</b><br>LED Extension Cable<br>for LED Cables 3100-00<br>and 3105-25<br>6' 6"   |

# SHUTTLE® MOTOR SPECIFICATIONS



**SHUTTLE® HD (M)**



**SHUTTLE® ECO (S)**



## FEATURES

|                               |   |   |
|-------------------------------|---|---|
| VOLTAGE SHUTTLE               | 24V DC  | 24V DC  |
| RECEIVER                      | Internal, optional  | Internal  |
| POWER SUPPLY                  | External, 100-240V AC - 1.5A, 50-60Hz; Output 24V DC - 2.7A | External, 100-240V AC - 0.8A, 50-60Hz; Output 24V DC - 2.5A |
| MAX POWER                     | 65W   | 40W   |
| TORQUE                        | 1.5 Nm  | 1.0 Nm  |
| TRAVEL SPEED                  | 5.5" per second standard<br>7" per second maximum           | 5.5" per second standard<br>7" per second maximum           |
| NOISE LEVEL                   | < 40 dB(A)  | < 40 dB(A)  |
| MAXIMUM WEIGHT                | 160 lbs per motor<br>120 lbs per motor - curved track       | 100 lbs per motor<br>90 lbs per motor - curved track        |
| DIMENSIONS                    | 2.76" x 1.97" x 9.5"  | 2.76" x 1.97" x 7.5"  |
| CERTIFICATIONS/MARKINGS       | CE/FCC/DOE  | CE/FCC/DOE  |
| COLOR OPTIONS                 | White / Black   | White   |
| TOUCH CONTROL TECHNOLOGY      | ✓   | ✓   |
| INTEGRATED EMERGENCY CONTROL  | ✓   | ✓   |
| RF COMMUNICATION STANDARD     | ✓   | ✓   |
| Z-WAVE COMMUNICATION          | -   | -   |
| AUTOMATION SYSTEM COMPATIBLE  | ✓ using RS485 & dry contacts                                | ✓ using RS485 & dry contacts                                |
| WI-FI COMPATIBLE              | ✓   | ✓   |
| WORKS WITH WIFI DONGLE        | ✓   | ✓   |
| CAN BE USED WITH CURVED TRACK | ✓   | ✓   |
| PLUG & PLAY                   | ✓   | ✓   |
| WARRANTY                      | 10 Years  | 10 Years  |



## SPECIFICATIONS

## FEATURES

|                               |  |
|-------------------------------|--|
| VOLTAGE SHUTTLE RECEIVER      | 14.8V DC   |
| BATTERY                       | Internal   |
| MAX POWER                     | Lithium iOn battery + charger (3-4 months between charges) |
| TORQUE                        | 30W  |
| TRAVEL SPEED                  | 1.0 Nm   |
| NOISE LEVEL                   | 5.5" per second standard<br>< 40 dB(A)                     |
| MAXIMUM WEIGHT                | 55 lbs per motor<br>40 lbs per motor - curved track        |
| DIMENSIONS                    | 2" x 3" x 12.25"   |
| CERTIFICATIONS/MARKINGS       | CE/FCC/DOE   |
| COLOR OPTIONS                 | White  |
| TOUCH CONTROL TECHNOLOGY      | ✓  |
| INTEGRATED EMERGENCY CONTROL  | ✓  |
| RF COMMUNICATION STANDARD     | ✓  |
| Z-WAVE COMMUNICATION          | -  |
| AUTOMATION SYSTEM COMPATIBLE  | ✓ using RS485 & dry contacts                               |
| WI-FI COMPATIBLE              | ✓  |
| WORKS WITH WI-FI DONGLE       | -  |
| CAN BE USED WITH CURVED TRACK | ✓  |
| PLUG & PLAY                   | ✓  |
| WARRANTY                      | 10 Years on motor<br>2 years on battery pack               |

## SHUTTLE® iOn



SMART HOME READY APP WIRELESS REMOTE TOUCH CONTROL

Our wide variety of control options make finding a fit for your windows easy – controlling the drapes by hand, wall switch, remote or even by home automation system.



### TOUCH CONTROL

Open or close your drapes with a gentle tug.



### FOREST CONTROLS

We have designed a new line of controls with a modern look and feel. Range of controls is up to 98'.

- The EasyTouch remote controls up to 6 systems, with the option to deactivate unused channels.
- EasyTouch wall switch is a sleek 2-channel option for your wall.



### BOND BRIDGE PRO

With the Bond Bridge Pro, easily pair your Forest remote and get app control for Forest motorized window coverings and other devices all in one place.





### SIDEKICK GEN 3 REMOTE

5- or 1-channel remote control. Pairs directly with drapery motor. Use with Bond Bridge Pro or without. Estimated 10-year battery life.

FOR ADDITIONAL CONTROL OPTIONS, SEE THE ROADMAP ON THE FOLLOWING PAGES.

# MOTORIZATION CONTROLS ROADMAP





# FOREST DSXL® LED SPECIFICATIONS



This unique drapery system combines a stylish design with a unique way of lighting. Many designers will work with a lighting plan with three levels: High, especially if the ceiling is vaulted or has been finished with a special material; medium, which includes wall sconces; and low, which means floor lamps and other small lights. Our DS-XL® LED is the solution for a lighting plan on a higher level, integrating our track to create an overall glow on the ceiling.

It also offers the possibility to illuminate the backside and/or the curtain track itself enabling a higher level of privacy.

The DS-XL® LED is an elegant system for all types of medium weight draperies.

## SUSTAINABLE LIGHTING

Traditional ways of lighting are very wasteful. Most of the power is wasted in the form of heat. This is why there has been a big push to change the environmental impact of lighting. Another benefit of LED lighting is sustainability and eco-friendliness. The system doesn't use toxic chemicals and it can last for years. It has a life span of approximately 30.000 hours.

## PRODUCT INFORMATION

- Designer track for lighting and drapery track combined.
- Color available: white
- Simple electrical installation by means of clickable connectors.
- Ceiling brackets and wall brackets available.
- Includes 1 LED strip.
- LED color temperature: warm white 3000.
- Low energy consuming LED strip, eco friendly.
- Dimmable LED strips (120 LED's per meter).
- LED lifespan of 30.000 hours.
- No soldering, clickable components for easy installation without the need for an electrician.
- Power: 10 watt/mtr.
- Energy label A+.
- The DS-XL® LED Motorized system can be integrated into any building automation system.
- Warranty: 10 years (LED-lighting 2 years).



## DS-XL® LED MOTORIZED

The Forest DS-XL® Series is also available with an LED variant: the DS-XL LED. This innovative curtain rail system is not only a visual highlight in any space due to its integrated lighting but also offers ultimate ease of use. The system can be easily controlled via a remote, app, or home automation system, creating an unparalleled experience of comfort and ambiance. Additionally, you can choose between one or two LED strips for the perfect atmosphere.



## RED DOT AWARD


The DS-XL® LED Motorized track system has been awarded for the Red Dot Award 2021 for its outstanding product design. The Red Dot Award is one of the most internationally known and sought-after awards in the design industry.




reddot winner

## PROFILE

- Weight: 7.2 ounces per ft.
- Aluminum Extrusion
- Dimensions: 1 1/2" x 1"



## APPLICATIONS



## FOR USE IN

Hotels, offices, residences, boats and yachts, showrooms, business meeting rooms, conference centers or anywhere a special atmosphere is desired.

Forest specializes in the development, production and supply of highly innovative drapery tracks and window coverings. We offer track solutions catering to the hospitality industry. Whether you choose our motorized tracks or rods, shades or hand drawn rods your client will experience comfortable luxury and optimal ease of use.

## THE WORLD BEHIND YOUR DRAPERIES

More than thirty years ago it started with a flexible aluminum system, known as the Forest KS® system. The product line was expanded at a rapid pace, always focusing on functionality and quality. The technologies conquered the world. Hotels across the globe are satisfied users of Forest systems including iconic hotels like the Venetian, Hardrock and the mega hotels in Dubai.

Forest Group B.V. sells its products in more than 100 countries worldwide and has sales offices in The Netherlands, the United States, China, United Arab Emirates, United Kingdom and Poland, ensuring global availability.

**Some well-known and recognized features of the Forest track systems are:**

- **High-quality standards:** We guarantee a long lifespan.
- **Comfort and quiet:** Drapes open and close silently, creating a serene and comfortable environment.
- **Adds style to windows:** Always perfectly hanging drapery thanks to our systems, including motorized solutions.
- **Smart integration:** Controllable via app, voice, and home automation systems for ultimate convenience.
- **Sustainability:** We use a minimum of 75% recycled aluminum in our tracks.
- **Unique warranty:** 10-year warranty.



*Drapery engineering by Forest*

**FOREST**  
DRAPERY HARDWARE