




CS® & CM TRACKS



Forest tracks are installed in more than 100 countries worldwide. With a 10 year warranty, they are characterized by the strength of the extrusion, powder coated surface, and a patented dry lubricant.

CS® CONTRACT SYSTEM
CM CEILING MOUNT SYSTEM

THE WORLD
BEHIND
YOUR
DRAPERIES



FOREST CS® & CM



25
White



59
Black



65
Brown



90
Grey



25
White

CS® CONTRACT SYSTEM CM CEILING MOUNT TRACK

- Heavy duty aluminum extrusion, powder coated, and lubricated with a patented process.
- Maximum weight is 6 lbs/ft.
- CS track can be bent and curved. An exact size template is required.
- Hand or baton draw, one or two way.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width.

ASSEMBLED SET

Includes track, masters, pinchpleat or ripplefold carriers, brackets, and 36" white fiberglass baton.

BATON OPTIONS

White fiberglass batons are available in 36", 48", 60", and 72" lengths. See all baton options, including the finishes below, at the end of brochure.



25
White












59
Black













81
Bronze


















90
Grey

CS	CM	COMPONENT
•		<p>CS Contract System Track</p> <p>51012-25 white 12'</p> <p>51014-25 white 14'</p> <p>51016-25 white 16'</p> <p>51020-25 white 20'</p>  <p>51016-59 black 16'</p> <p>51020-59 black 20'</p> <p>51016-65 brown 16'</p> <p>51016-90 grey 16'</p>
•	•	<p>CM Ceiling Mount Track</p> <p>51212-25 white 12'</p> <p>51214-25 white 14'</p> <p>51216-25 white 16'</p> <p>Holes every 16"</p> 
•		<p>3906-25</p> <p>59 black, 65 brown, 90 grey</p> <p>Track Connector</p> 
•		<p>55091-25</p> <p>59 black, 65 brown, 90 grey</p> <p>90° Pre-Bent CS Corners 24" x 24"</p> 
•	•	<p>52304-25</p> <p>59 black, 65 brown, 90 grey</p> <p>End Cap - Short reduces light gap</p> 
•	•	<p>52301-25</p> <p>59 black, 65 brown, 90 grey</p> <p>End Cap w/ Economy Slide Add 2004-25 w/ Ripplefold</p> 
•	•	<p>52302-25 Right Return 52303-25 Left Return</p> <p>End Cap w/ Return Plate, Snap for pinch pleat or Ripplefold</p> 
•		<p>9100-00</p> <p>Channel Protector</p> 
•		<p>3001-25</p> <p>59 black 90 grey</p> <p>Regular Duty Ceiling Bracket</p> 







CS	CM	COMPONENT
•		<p>3901-25</p> <p>59 black</p> <p>Ceiling Splice/Bracket</p> 
•		<p>3002-25</p> <p>Klick On Ceiling Bracket with steel clip for drop ceilings, light duty</p> 
•		<p>3003-25</p> <p>59 black, 65 brown, 90 grey</p> <p>Heavy Duty Ceiling Bracket w/ Smart Klick</p> 
•		<p>30031-25</p> <p>59 black, 65 brown, 90 grey</p> <p>Ceiling Bracket Cover use with 3003-XX</p> 
•		<p>53202-25</p> <p>59 black, 65 brown, 90 grey</p> <p>3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5"</p> 
•		<p>53206-25</p> <p>59 black, 65 brown, 90 grey</p> <p>6" Smart Klick Double Wall Bracket w/ wide base adjusts 2.5"-4" & 6"-7.5"</p> 
•		<p>3280-25</p> <p>59 black, 65 brown, 90 grey</p> <p>3" Wall Bracket, heavy duty projection 2 1/2"</p> 
•		<p>3285-25</p> <p>59 black, 90 grey</p> <p>4" Wall Bracket, heavy duty projection 3 1/2"</p> 
•		<p>3281-25</p> <p>59 black, 65 brown, 90 grey</p> <p>6" Double Wall Bracket, heavy duty projection 1 1/2", 5 1/2"</p> 
•		<p>32801-25</p> <p>59 black, 90 grey</p> <p>Wall Bracket Cover use with 3280, 3285 & 3281</p> 








- Standard item in assembled sets.

CS	CM	COMPONENT
•	•	<p>Wheeled Connected Snap Carrier with pendant, in plastic sleeve 2107-25, 59 black 60% fullness, 2 5/8" OC 2106-25, 59 black 80% fullness, 2 3/8" OC 2105-25, 59 black 100% fullness, 2 1/8" OC 2108-25, 59 black 120% fullness, 1 7/8" OC</p> 
•	•	<p>Wheeled Connected Snap Carrier with pendant, on plastic strip 2207-25 60% fullness, 2 5/8" OC 2206-25 80% fullness, 2 3/8" OC 2205-25 100% fullness, 2 1/8" OC 2208-25 120% fullness, 1 7/8" OC</p> 
•	•	<p>2007-25 59 black Pendant for Snap Tape Carrier</p> 
•	•	<p>2008-25 59 black Short Pendant for Snap Tape Carrier</p> 
•	•	<p>2004-25 59 black, 65 brown, 90 grey Snap Carrier for accordiafold</p> 
•	•	<p>52002-25 59 black, 65 brown, 90 grey Slim Line Ball Bearing Carrier</p> 
•	•	<p>52008-25 59 black, 65 brown Slim Line Klick Carrier draperies hang to conceal track</p> 

CS	CM	COMPONENT
•	•	<p>52108-25 Stop Carrier prevents slide back</p> 
		<p>52003-25 59 black, 65 brown Economy Slide</p> 
•	•	<p>52100-25 59 black, 65 brown, 90 grey Ball Bearing Carrier w/ Stainless Hook slim line - use w/ grommets</p> 
•	•	<p>52005-25 Button Slide Carrier</p> 
•	•	<p>52105-25 Button Slide Carrier w/ Hook</p> 
•	•	<p>52502-25 Overlap R 52504-25 Underlap L 59 black Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton</p> 
•	•	<p>52502-25A Overlap R 52504-25A Underlap L 59A black Standard Multi-Functional Master w/ snaps and baton adaptor</p> 
•	•	<p>52502-25B Overlap R 52504-25B Underlap L Standard Multi-Functional w/ baton adaptor for stiffener. Stainless steel for outdoor use.</p> 

• Standard item in assembled sets.

CS	CM	COMPONENT
•	•	 <p>52508-25 Overlap R 52509-25 Underlap L 59 black, 65 brown, 90 grey Swivel Foot Multi-Functional Master 1 1/2"</p>
•	•	 <p>52508-25A Overlap R 52509-25A Underlap L 59 black, 65 brown, 90 grey Swivel Foot Multi-Functional Master w/ snaps 1 1/2"</p>
•	•	 <p>52501-25 Overlap R 52503-25 Underlap L Stiffener Master 1 1/4"</p>
•	•	 <p>52401-25 Overlap R 52403-25 Underlap L Stiffener Master w/ snaps and adaptor 1 1/4"</p>
•	•	 <p>52410-25 Butt R 52409-25 Butt L 59 black Standard Butt Master w/ snaps and for baton use 1" / 3"</p>
•	•	 <p>52411-25A Butt R 52412-25A Butt L 59A black, 65A brown, 90A grey Wheeled Butt Master w/snap adaptor Designed for hidden baton 1" / 3"</p>

CS	CM	COMPONENT
•	•	 <p>52601-25A Overlap R 52603-25A Underlap L Extended Spacing Master w/ snaps and adaptor 2 3/8"</p>
•	•	 <p>2552-25 6" Extension Arm for master Use w/ two one-way draws</p>
•	•	 <p>2551-25 Small Extension Arm</p>
•	•	 <p>2305-25 59 black, 65 brown, 90 grey Twist On End Stop</p>
•	•	 <p>2308-25 Return Plate reversible, 2 1/2" return</p>
•	•	 <p>52307-90 End Lock</p>
•	•	 <p>54110-25 36" Fiberglass Baton w/ snap See all batons page 99.</p>

- Standard item in assembled sets.


FOREST CS® SPECIFICATIONS



PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; CS track can be curved and reversed curved using an 8" radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Easyfold System and accordiafold drapery.
- Recommended maximum fabric weight: 6 lbs per foot depending on application.
- Finish colors available: white, black, bronze and grey.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 12', 14', 16', and 20'.
- Limited lifetime warranty.


- ❶ CS Track
- ❷ Carrier
- ❸ Master Carrier R/L Overlap
- ❹ Master Carrier R/L Underlap
- ❺ Carrier
- ❻ Endcap with Screw






BENDING / CURVING

The track can be curved and reversed curved using a 6" or 8" radius. Continuous curving is also possible with the electrical bending tool. Actual size template is required.




PROFILE

- Weight: 2.53 ounce per ft.
- Aluminum Extrusion
- Dimensions: 3/4" x 3/4"




FOR USE IN

Hotels, offices, schools, healthcare facilities, residences or at any location where a heavy duty hand drawn system is required.




Easy installation
click - position - tighten




clickable carrier

APPLICATIONS




CLICK-ON STIFFENER




MOUNTING BRACKETS

Brackets need to be placed every 24".


Heavy Duty Ceiling Bracket with Smart Klick 3003-XX



3" Smart Klick Wall Bracket 53202-XX




6" Smart Klick Double Wall Bracket 53206-XX




3" Wall Bracket for Wood Poles 3280-XX

A) 3" B) 2 1/2"



6" Double Wall Bracket for Wood Poles 3281-XX


A) 6" B) 3 5/8" C) 1 3/4"



BATONS – FIBERGLASS, ACRYLIC, ADA & COMPONENTS

BATONS		COMPONENT		
<div><div>•</div><div><div><div>3/8" Fiberglass Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54110-25 white w/ snap</div><div>54310-25 white w/ adaptor</div></div><div><div>48"</div><div>54111-25 white w/ snap</div><div>54311-25 white w/ adaptor</div></div><div><div>60"</div><div>54112-25 white w/ snap</div><div>54312-25 white w/ adaptor</div></div><div><div>72"</div><div>54113-25 white w/ snap</div><div>54313-25 white w/ adaptor</div></div><div><div>84"</div><div>54114-25 white w/ snap</div></div><div><div>96"</div><div>54115-25 white w/ snap</div></div></div><div><div>Colors available for 3/8" Fiberglass Batons</div><div><div><div>25</div><div>White</div></div><div><div>59</div><div>Black</div></div><div><div>81</div><div>Bronze</div></div><div><div>90</div><div>Grey</div></div></div></div></div>	<div><div>•</div><div><div><div>3/8" Fiberglass Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54110-25 white w/ snap</div><div>54310-25 white w/ adaptor</div></div><div><div>48"</div><div>54111-25 white w/ snap</div><div>54311-25 white w/ adaptor</div></div><div><div>60"</div><div>54112-25 white w/ snap</div><div>54312-25 white w/ adaptor</div></div><div><div>72"</div><div>54113-25 white w/ snap</div><div>54313-25 white w/ adaptor</div></div><div><div>84"</div><div>54114-25 white w/ snap</div></div><div><div>96"</div><div>54115-25 white w/ snap</div></div></div><div><div>Colors available for 3/8" Fiberglass Batons</div><div><div><div>25</div><div>White</div></div><div><div>59</div><div>Black</div></div><div><div>81</div><div>Bronze</div></div><div><div>90</div><div>Grey</div></div></div></div></div>	<div><div>•</div><div><div><div>3/8" Fiberglass Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54110-25 white w/ snap</div><div>54310-25 white w/ adaptor</div></div><div><div>48"</div><div>54111-25 white w/ snap</div><div>54311-25 white w/ adaptor</div></div><div><div>60"</div><div>54112-25 white w/ snap</div><div>54312-25 white w/ adaptor</div></div><div><div>72"</div><div>54113-25 white w/ snap</div><div>54313-25 white w/ adaptor</div></div><div><div>84"</div><div>54114-25 white w/ snap</div></div><div><div>96"</div><div>54115-25 white w/ snap</div></div></div><div><div>Colors available for 3/8" Fiberglass Batons</div><div><div><div>25</div><div>White</div></div><div><div>59</div><div>Black</div></div><div><div>81</div><div>Bronze</div></div><div><div>90</div><div>Grey</div></div></div></div></div>	<div><div>•</div><div><div><div>3/8" Fiberglass Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54110-25 white w/ snap</div><div>54310-25 white w/ adaptor</div></div><div><div>48"</div><div>54111-25 white w/ snap</div><div>54311-25 white w/ adaptor</div></div><div><div>60"</div><div>54112-25 white w/ snap</div><div>54312-25 white w/ adaptor</div></div><div><div>72"</div><div>54113-25 white w/ snap</div><div>54313-25 white w/ adaptor</div></div><div><div>84"</div><div>54114-25 white w/ snap</div></div><div><div>96"</div><div>54115-25 white w/ snap</div></div></div><div><div>Colors available for 3/8" Fiberglass Batons</div><div><div><div>25</div><div>White</div></div><div><div>59</div><div>Black</div></div><div><div>81</div><div>Bronze</div></div><div><div>90</div><div>Grey</div></div></div></div></div>	
	<div><div>•</div><div><div><div>1/2" Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54510-00 w/ snap</div><div>54710-00 w/ adaptor</div></div><div><div>48"</div><div>54511-00 w/ snap</div><div>54711-00 w/ adaptor</div></div><div><div>60"</div><div>54512-00 w/ snap</div><div>54712-00 w/ adaptor</div></div><div><div>72"</div><div>54513-00 w/ snap</div><div>54713-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>1/2" Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54510-00 w/ snap</div><div>54710-00 w/ adaptor</div></div><div><div>48"</div><div>54511-00 w/ snap</div><div>54711-00 w/ adaptor</div></div><div><div>60"</div><div>54512-00 w/ snap</div><div>54712-00 w/ adaptor</div></div><div><div>72"</div><div>54513-00 w/ snap</div><div>54713-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>1/2" Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54510-00 w/ snap</div><div>54710-00 w/ adaptor</div></div><div><div>48"</div><div>54511-00 w/ snap</div><div>54711-00 w/ adaptor</div></div><div><div>60"</div><div>54512-00 w/ snap</div><div>54712-00 w/ adaptor</div></div><div><div>72"</div><div>54513-00 w/ snap</div><div>54713-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>1/2" Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>36"</div><div>54510-00 w/ snap</div><div>54710-00 w/ adaptor</div></div><div><div>48"</div><div>54511-00 w/ snap</div><div>54711-00 w/ adaptor</div></div><div><div>60"</div><div>54512-00 w/ snap</div><div>54712-00 w/ adaptor</div></div><div><div>72"</div><div>54513-00 w/ snap</div><div>54713-00 w/ adaptor</div></div></div></div>
	<div><div>•</div><div><div><div>ADA Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>48"</div><div>54911-00 w/ adaptor</div></div><div><div>60"</div><div>54912-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>ADA Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>48"</div><div>54911-00 w/ adaptor</div></div><div><div>60"</div><div>54912-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>ADA Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>48"</div><div>54911-00 w/ adaptor</div></div><div><div>60"</div><div>54912-00 w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>ADA Clear Acrylic Baton</div><div>Must order screw separately</div></div><div><div>48"</div><div>54911-00 w/ adaptor</div></div><div><div>60"</div><div>54912-00 w/ adaptor</div></div></div></div>
	<div><div>•</div><div><div><div>Baton Holder, clear acrylic</div></div></div></div>	<div><div>•</div><div><div><div>Baton Holder, clear acrylic</div></div></div></div>	<div><div>•</div><div><div><div>Baton Holder, clear acrylic</div></div></div></div>	<div><div>•</div><div><div><div>Baton Holder, clear acrylic</div></div></div></div>
	<div><div>•</div><div><div><div>Baton Snap</div></div></div></div>	<div><div>•</div><div><div><div>Baton Snap</div></div></div></div>	<div><div>•</div><div><div><div>Baton Snap</div></div></div></div>	<div><div>•</div><div><div><div>Baton Snap</div></div></div></div>
	<div><div>•</div><div><div><div>Hex Head Shoulder Screw for baton w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>Hex Head Shoulder Screw for baton w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>Hex Head Shoulder Screw for baton w/ adaptor</div></div></div></div>	<div><div>•</div><div><div><div>Hex Head Shoulder Screw for baton w/ adaptor</div></div></div></div>
	<div><div>•</div><div><div><div>D-Ring</div></div></div></div>	<div><div>•</div><div><div><div>D-Ring</div></div></div></div>	<div><div>•</div><div><div><div>D-Ring</div></div></div></div>	<div><div>•</div><div><div><div>D-Ring</div></div></div></div>

BATONS – DECORATIVE METAL & WOOD



Forest specializes in the development, production and supply of highly innovative drapery tracks and window coverings. We offer track solutions catering to the hospitality industry. Whether you choose our motorized tracks or rods, shades or hand drawn rods your client will experience comfortable luxury and optimal ease of use.

THE WORLD BEHIND YOUR DRAPERIES

More than thirty years ago it started with a flexible aluminum system, known as the Forest KS® system. The product line was expanded at a rapid pace, always focusing on functionality and quality. The technologies conquered the world. Hotels across the globe are satisfied users of Forest systems including iconic hotels like the Venetian, Hardrock and the mega hotels in Dubai.

Forest Group B.V. sells its products in more than 100 countries worldwide and has sales offices in The Netherlands, the United States, China, United Arab Emirates, United Kingdom and Poland, ensuring global availability.

Some well-known and recognized features of the Forest track systems are:

- **High-quality standards:** We guarantee a long lifespan.
- **Comfort and quiet:** Drapes open and close silently, creating a serene and comfortable environment.
- **Adds style to windows:** Always perfectly hanging drapery thanks to our systems, including motorized solutions.
- **Smart integration:** Controllable via app, voice, and home automation systems for ultimate convenience.
- **Sustainability:** We use a minimum of 75% recycled aluminum in our tracks.
- **Unique warranty:** 10-year warranty.



Drapery engineering by Forest

FOREST
DRAPERY HARDWARE