



## CS<sup>®</sup> & CM TRACKS



Forest tracks are installed in more than 100 countries worldwide. With a 10 year warranty, they are characterized by the strength of the extrusion, powder coated surface, and a patented dry lubricant.

*CS<sup>®</sup> CONTRACT SYSTEM  
CM CEILING MOUNT SYSTEM*

THE WORLD  
BEHIND  
YOUR  
DRAPERIES



# FOREST CS® & CM



25  
White



59  
Black



65  
Brown



90  
Grey



25  
White

## CS® CONTRACT SYSTEM CM CEILING MOUNT TRACK

- Heavy duty aluminum extrusion, powder coated, and lubricated with a patented process.
- Maximum weight is 6 lbs/ft.
- CS track can be bent and curved. An exact size template is required.
- Hand or baton draw, one or two way.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width.

### ASSEMBLED SET

Includes track, masters, pinchpleat or ripplefold carriers, brackets, and 36" white fiberglass baton.

### BATON OPTIONS

White fiberglass batons are available in 36", 48", 60", and 72" lengths. See all baton options, including the finishes below, at the end of brochure.



25  
White






59  
Black



81  
Bronze








90  
Grey

CS	CM	COMPONENT
•		 <p>CS Contract System Track  <b>51012-25</b> white 12'  <b>51014-25</b> white 14'  <b>51016-25</b> white 16'  <b>51020-25</b> white 20'</p> <p><b>51016-59</b> black 16'  <b>51020-59</b> black 20'  <b>51016-65</b> brown 16'  <b>51016-90</b> grey 16'</p>
•		 <p>CM Ceiling Mount Track  <b>51212-25</b> white 12'  <b>51214-25</b> white 14'  <b>51216-25</b> white 16'  Holes every 16"</p>
•		 <p><b>3906-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Track Connector</p>
•		 <p><b>55091-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  90° Pre-Bent CS Corners  24" x 24"</p>
•	•	 <p><b>52304-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  End Cap - Short  reduces light gap</p>
•	•	 <p><b>52301-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  End Cap w/ Economy Slide  Add 2004-25 w/ Ripplefold</p>
•	•	 <p><b>52302-25</b> Right Return  <b>52303-25</b> Left Return  End Cap w/ Return Plate, Snap for pinch  pleat or Ripplefold</p>
•		 <p><b>9100-00</b>  Channel Protector</p>
•		 <p><b>3001-25</b>  <b>59</b> black <b>90</b> grey  Regular Duty Ceiling Bracket</p>







CS	CM	COMPONENT
•		 <p><b>3901-25</b>  <b>59</b> black  Ceiling Splice/Bracket</p>
•		 <p><b>3002-25</b>  Click On Ceiling Bracket  with steel clip for drop  ceilings, light duty</p>
•		 <p><b>3003-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Heavy Duty Ceiling Bracket  w/ Smart Klick</p>
•		 <p><b>30031-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Ceiling Bracket Cover  use with 3003-XX</p>
•		 <p><b>53202-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  3" Smart Klick Wall Bracket  w/ wide base, adjusts 3-4.5"</p>
•		 <p><b>53206-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  6" Smart Klick Double Wall Bracket w/ wide  base  adjusts 2.5"-4" &amp; 6"-7.5"</p>
•		 <p><b>3280-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  3" Wall Bracket, heavy duty  projection 2 1/2"</p>
•		 <p><b>3285-25</b>  <b>59</b> black, <b>90</b> grey  4" Wall Bracket, heavy duty  projection 3 1/2"</p>
•		 <p><b>3281-25</b>  <b>59</b> black, <b>90</b> grey  6" Double Wall Bracket, heavy duty  projection 1 1/2", 5 1/2"</p>
•		 <p><b>32801-25</b>  <b>59</b> black, <b>90</b> grey  Wall Bracket Cover  use with 3280, 3285 &amp; 3281</p>


• Standard item in assembled sets.

CS	CM	COMPONENT
•	•	 <p>Wheeled Connected Snap Carrier with pendant, in plastic sleeve  <b>2107-25, 59</b> black  60% fullness, 2 5/8" OC  <b>2106-25, 59</b> black  80% fullness, 2 3/8" OC  <b>2105-25, 59</b> black  100% fullness, 2 1/8" OC  <b>2108-25, 59</b> black  120% fullness, 1 7/8" OC</p>
•	•	 <p>Wheeled Connected Snap Carrier with pendant, on plastic strip  <b>2207-25</b>  60% fullness, 2 5/8" OC  <b>2206-25</b>  80% fullness, 2 3/8" OC  <b>2205-25</b>  100% fullness, 2 1/8" OC  <b>2208-25</b>  120% fullness, 1 7/8" OC</p>
•	•	 <p><b>2007-25</b>  <b>59</b> black  Pendant for Snap Tape Carrier</p>
•	•	 <p><b>2008-25</b>  <b>59</b> black  Short Pendant for Snap Tape Carrier</p>
•	•	 <p><b>2004-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Snap Carrier for accordiafold</p>
•	•	 <p><b>52002-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Slim Line Ball Bearing Carrier</p>
•	•	 <p><b>52008-25</b>  <b>59</b> black, <b>65</b> brown  Slim Line Klick Carrier  draperies hang to conceal track</p>

CS	CM	COMPONENT
•	•	 <p><b>52108-25</b>  Stop Carrier  prevents slide back</p>
		 <p><b>52003-25</b>  <b>59</b> black, <b>65</b> brown  Economy Slide</p>
•	•	 <p><b>52100-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Ball Bearing Carrier  w/ Stainless Hook  slim line - use w/ grommets</p>
•	•	 <p><b>52005-25</b>  Button Slide Carrier</p>
•	•	 <p><b>52105-25</b>  Button Slide Carrier  w/ Hook</p>
•	•	 <p><b>52502-25</b> Overlap R  <b>52504-25</b> Underlap L  <b>59</b> black  Standard Multi-Functional Master  Use stiffener w/ exposed baton or  hooks w/ hidden baton</p>
•	•	 <p><b>52502-25A</b> Overlap R  <b>52504-25A</b> Underlap L  <b>59A</b> black  Standard Multi-Functional  Master w/ snaps and baton  adaptor</p>
•	•	 <p><b>52502-25B</b> Overlap R  <b>52504-25B</b> Underlap L  Standard Multi-Functional  w/ baton adaptor for  stiffener. Stainless steel for outdoor  use.</p>

• Standard item in assembled sets.

CS	CM	COMPONENT
•	•	 <p><b>52508-25</b> Overlap R  <b>52509-25</b> Underlap L  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Swivel Foot Multi-Functional Master</p> <p>1 1/2"</p>
•	•	 <p><b>52508-25A</b> Overlap R  <b>52509-25A</b> Underlap L  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Swivel Foot Multi-Functional Master  w/ snaps</p> <p>1 1/2"</p>
•	•	 <p><b>52501-25</b> Overlap R  <b>52503-25</b> Underlap L  Stiffener Master</p> <p>1 1/4"</p>
•	•	 <p><b>52401-25</b> Overlap R  <b>52403-25</b> Underlap L  Stiffener Master  w/ snaps and adaptor</p> <p>1 1/4"</p>
•	•	 <p><b>52410-25</b> Butt R  <b>52409-25</b> Butt L  <b>59</b> black  Standard Butt Master  w/ snaps and for baton use</p> <p>1"  3"</p>
•	•	 <p><b>52411-25A</b> Butt R  <b>52412-25A</b> Butt L  <b>59A</b> black, <b>65A</b> brown,  <b>90A</b> grey  Wheeled Butt Master  w/snap adaptor  Designed for hidden baton</p> <p>1"  3"</p>

CS	CM	COMPONENT
•	•	 <p><b>52601-25A</b> Overlap R  <b>52603-25A</b> Underlap L  Extended Spacing Master  w/ snaps and adaptor</p> <p>2 3/8"</p>
•	•	 <p><b>2552-25</b>  6" Extension Arm for master  Use w/ two one-way draws</p>
•	•	 <p><b>2551-25</b>  Small Extension Arm</p>
•	•	 <p><b>2305-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey  Twist On End Stop</p>
•	•	 <p><b>2308-25</b>  Return Plate  reversible, 2 1/2" return</p>
•	•	 <p><b>52307-90</b>  End Lock</p>
•	•	 <p><b>54110-25</b>  36" Fiberglass Baton  w/ snap  See all batons page 99.</p>

• Standard item in assembled sets.


# FOREST CS<sup>®</sup> SPECIFICATIONS



## PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; CS track can be curved and reversed curved using an 8" radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Easyfold System and accordiafold drapery.
- Recommended maximum fabric weight: 6 lbs per foot depending on application.
- Finish colors available: white, black, bronze and grey.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 12', 14', 16', and 20'.
- Limited lifetime warranty.


- 1 CS Track
- 2 Carrier
- 3 Master Carrier R/L Overlap
- 4 Master Carrier R/L Underlap
- 5 Carrier
- 6 Endcap with Screw






## BENDING / CURVING

The track can be curved and reversed curved using a 6" or 8" radius. Continuous curving is also possible with the electrical bending tool. Actual size template is required.




## PROFILE

- Weight: 2.53 ounce per ft.
- Aluminum Extrusion
- Dimensions: 3/4" x 3/4"




## FOR USE IN

Hotels, offices, schools, healthcare facilities, residences or at any location where a heavy duty hand drawn system is required.




Easy installation  
click - position - tighten




clickable carrier

## APPLICATIONS




## CLICK-ON STIFFENER




## MOUNTING BRACKETS

Brackets need to be placed every 24".


Heavy Duty Ceiling Bracket with Smart Klick 3003-XX



3" Smart Klick Wall Bracket 53202-XX




6" Smart Klick Double Wall Bracket 53206-XX




3" Wall Bracket for Wood Poles 3280-XX

A) 3" B) 2 1/2"



6" Double Wall Bracket for Wood Poles 3281-XX

A) 6" B) 3 5/8" C) 1 3/4"




# BATONS – FIBERGLASS, ACRYLIC, ADA & COMPONENTS

BATONS	COMPONENT
	<p><b>3/8" Fiberglass Baton</b> Must order screw separately</p> <p><b>36"</b> 54110-25 white w/ snap 54310-25 white w/ adaptor</p> <p><b>54110-59, 81, 90</b> w/ snap</p> <p><b>48"</b> 54111-25 white w/ snap 54311-25 white w/ adaptor</p> <p><b>54111-59, 81, 90</b> w/ snap</p> <p><b>60"</b> 54112-25 white w/ snap 54312-25 white w/ adaptor</p> <p><b>54112-59, 81, 90</b> w/ snap</p> <p><b>72"</b> 54113-25 white w/ snap 54313-25 white w/ adaptor</p> <p><b>54113-59, 81, 90</b> w/ snap</p> <p><b>84"</b> 54114-25 white w/ snap</p> <p><b>96"</b> 54115-25 white w/ snap</p>
	<p><b>Colors available for 3/8" Fiberglass Batons</b></p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  25 White         </div> <div style="text-align: center;">  59 Black         </div> <div style="text-align: center;">  81 Bronze         </div> <div style="text-align: center;">  90 Grey         </div> </div>

BATONS	COMPONENT
	<p><b>1/2" Clear Acrylic Baton</b> Must order screw separately</p> <p><b>36"</b> 54510-00 w/ snap 54710-00 w/ adaptor</p> <p><b>48"</b> 54511-00 w/ snap 54711-00 w/ adaptor</p> <p><b>60"</b> 54512-00 w/ snap 54712-00 w/ adaptor</p> <p><b>72"</b> 54513-00 w/ snap 54713-00 w/ adaptor</p>
	<p><b>ADA Clear Acrylic Baton</b></p> <p><b>48"</b> 54911-00 w/ adaptor</p> <p><b>60"</b> 54912-00 w/ adaptor</p>
	<p><b>9013-00</b> Baton Holder, clear acrylic</p>
	<p><b>54001-16</b> Baton Snap</p>
	<p><b>9015-00</b> Hex Head Shoulder Screw for baton w/ adaptor</p>
<p><b>54000-16</b> D-Ring</p>	

# BATONS – DECORATIVE METAL & WOOD



Forest specializes in the development, production and supply of highly innovative drapery tracks and window coverings. We offer track solutions catering to the hospitality industry. Whether you choose our motorized tracks or rods, shades or hand drawn rods your client will experience comfortable luxury and optimal ease of use.

## THE WORLD BEHIND YOUR DRAPERIES

More than thirty years ago it started with a flexible aluminum system, known as the Forest KS® system. The product line was expanded at a rapid pace, always focusing on functionality and quality. The technologies conquered the world. Hotels across the globe are satisfied users of Forest systems including iconic hotels like the Venetian, Hardrock and the mega hotels in Dubai.

Forest Group B.V. sells its products in more than 100 countries worldwide and has sales offices in The Netherlands, the United States, China, United Arab Emirates, United Kingdom and Poland, ensuring global availability.

### Some well-known and recognized features of the Forest track systems are:

- **High-quality standards:** We guarantee a long lifespan.
- **Comfort and quiet:** Drapes open and close silently, creating a serene and comfortable environment.
- **Adds style to windows:** Always perfectly hanging drapery thanks to our systems, including motorized solutions.
- **Smart integration:** Controllable via app, voice, and home automation systems for ultimate convenience.
- **Sustainability:** We use a minimum of 75% recycled aluminum in our tracks.
- **Unique warranty:** 10-year warranty.



*Drapery engineering by Forest*