

CORDOBA MOTORIZED



SMART HOME
READY



APP
CONTROL



WIRELESS
REMOTE



TOUCH
CONTROL

The Cordoba motorized drapery rod combines silent operation with the warmth of a wood fascia. This collection works effortlessly with all Forest Shuttle® motors, offering extensive control possibilities.

*CORDOBA MOTORIZED ROD
FOREST SHUTTLE® HD MOTOR
FOREST SHUTTLE® ECO MOTOR
FOREST SHUTTLE® ION MOTOR*

THE WORLD
BEHIND
YOUR
DRAPERIES






CORDOBA MOTORIZED







- Forest FMS Track with 2" Cordoba Collection wood pole fascia.
- Motorize with any Forest Shuttle. All Forest Shuttle motors include a 10-year warranty, the only one on the market.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app.






ASSEMBLED SYSTEM

Includes assembled track, wood fascia, motor, power supply, brackets, choice of finial, plus EasyTouch remote or wall switch.











CORDOBA COLLECTION FINISHES XX = finish color













CORDOBA	COMPONENT
•	 <p>52925-25 Shuttle HD (M) white 52925-59 Shuttle HD (M) black 52939-25 Shuttle Eco (S) white</p>
•	 <p>52934-25 Shuttle HD & Eco Power Cord 24 volt power supply with 16' cord</p>
•	 <p>52926-25 Shuttle iOn white Includes battery charger below.</p>
•	 <p>52924-59 Shuttle iOn Battery Charger Additional charger for Shuttle iOn motor</p>
•	 <p>52949-25 Shuttle iOn Battery Pack Additional battery pack for Shuttle iOn motor</p>
•	 <p>52948-25 Wi-Fi Dongle - Order 1/motor For voice & app control over wi-fi. Provides bi-directional feedback. Use with Shuttles HD and Eco, not iOn.</p>

CORDOBA	COMPONENT
•	 <p>52960-25 white 52960-59 black EasyTouch Remote 6 channel hand held remote Optional holder below can be ordered separately</p>
•	 <p>52961-00 EasyTouch Remote Holder Optional and must be ordered separately</p>
•	 <p>52933-25 white 52933-59 black EasyTouch Wall Switch 2 channel</p>
•	 <p>52955-25 Bond Bridge Pro For voice and app control over RF. Easily pair using the Forest remote. Controls all of your devices in one hub.</p>
•	 <p>52954-25 Sidekick Remote Works with or without Bond Bridge Pro, 1-5 channels.</p>

CORDOBA

CORDOBA	COMPONENT
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 51319-25 white 59 black FMS Track 19' x 10 tracks per bundle bundle = 190'
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 1051RSW-XX Cordoba Smooth, 14'
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 1151WEN-XX Cordoba End Cap
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 3906-25 59 black Track Connector & key 3904-00
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 3280-25 59 black 3" Single Wall Bracket heavy duty, projection 2 1/2"
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 3285-25 59 black 4" Single Wall Bracket heavy duty, projection 3 1/2"
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 3281-25 59 black 6" Double Wall Bracket heavy duty projection 1 1/2", 5 1/2"
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 32801-25 59 black Wall Bracket Cover use with 3280 & 3281
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape 2114-25, 59 black 60% fullness, 2 5/8" OC 2111-25, 59 black 80% fullness, 2 3/8" OC 2112-25, 59 black 100% fullness, 2 1/8" OC 2115-25, 59 black 120% fullness, 1 7/8" OC
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52008-25 59 black, 65 brown Slim Line Klick Carrier Draperies hang to conceal track

CORDOBA	COMPONENT
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52009-25 Ball Bearing Carrier for motorization
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52508-25 Overlap Right 52509-25 Underlap Left 59 black Swivel Foot Multifunctional Master
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52508-25A Overlap Right 52509-25A Underlap Left 59 black Swivel Foot Multifunctional Master w/ snaps
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52410-25 Butt Right 52409-25 Butt Left 59 black Butt Master Carrier w/ snaps
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 2552-25 6" Extension Arm for master Use w/ two one-way draw
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52903-25 59 black Forest Shuttle Motor Pulley Connects motor to track
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52909-25 Rollease Versa/Motionblinds Motor Pulley Connects motor to track
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52910-25 59 black Return Pulley
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 9012-25 Transport Belt Kevlar reinforced
<ul style="list-style-type: none">  	<ul style="list-style-type: none"> 52512-25 white 59 black Transport Belt Connector

SHUTTLE MOTOR SPECIFICATIONS



SHUTTLE® HD (M)

SHUTTLE® ECO (S)



SPECIFICATIONS

VOLTAGE SHUTTLE
RECEIVER
POWER SUPPLY
MAX POWER
TORQUE
TRAVEL SPEED
NOISE LEVEL
MAXIMUM WEIGHT
DIMENSIONS
CERTIFICATIONS/MARKINGS
COLOR OPTIONS

24V DC
Internal, optional
External, 100-240V AC - 1.5A,
50-60Hz; Output 24V DC - 2.7A
65W
1.5 Nm
5.5" per second standard
7" per second maximum
< 40 dB(A)
160 lbs per motor
120 lbs per motor - curved track
2.76" x 1.97" x 9.5"
CE/FCC/DOE
White / Black


24V DC
Internal
External, 100-240V AC - 0.8A,
50-60Hz; Output 24V DC - 2.5A
40W
1.0 Nm
5.5" per second standard
7" per second maximum
< 40 dB(A)
100 lbs per motor
90 lbs per motor - curved track
2.76" x 1.97" x 7.5"
CE/FCC/DOE
White

FEATURES

TOUCH CONTROL TECHNOLOGY
INTEGRATED EMERGENCY CONTROL
RF COMMUNICATION STANDARD
Z-WAVE COMMUNICATION
AUTOMATION SYSTEM COMPATIBLE
WI-FI COMPATIBLE
WORKS WITH WIFI DONGLE
CAN BE USED WITH CURVED TRACK
PLUG & PLAY
WARRANTY

√
√
√
-
√ using RS485 & dry contacts
√
√
√
√
√
10 Years

√
√
√
-
√ using RS485 & dry contacts
√
√
√
√
√
10 Years



SMART HOME
READY



APP
CONTROL



WIRELESS
REMOTE



TOUCH
CONTROL

SHUTTLE[®] iOn



VOLTAGE SHUTTLE	14.8V DC
RECEIVER	Internal
BATTERY	Lithium iOn battery + charger (3-4 months between charges)
MAX POWER	30W
TORQUE	1.0 Nm
TRAVEL SPEED	5.5" per second standard
NOISE LEVEL	< 40 dB(A)
MAXIMUM WEIGHT	55 lbs per motor 40 lbs per motor - curved track
DIMENSIONS	2" x 3" x 12.25"
CERTIFICATIONS/MARKINGS	CE/FCC/DOE
COLOR OPTIONS	White

SPECIFICATIONS

TOUCH CONTROL TECHNOLOGY	✓
INTEGRATED EMERGENCY CONTROL	✓
RF COMMUNICATION STANDARD	✓
Z-WAVE COMMUNICATION	-
AUTOMATION SYSTEM COMPATIBLE	✓ using RS485 & dry contacts
WI-FI COMPATIBLE	✓
WORKS WITH WI-FI DONGLE	-
CAN BE USED WITH CURVED TRACK	✓
PLUG & PLAY	✓
WARRANTY	10 Years on motor 2 years on battery pack

FEATURES

Our wide variety of control options make finding a fit for your windows easy – controlling the drapes by hand, wall switch, remote or even by home automation system.



TOUCH CONTROL

Open or close your drapes with a gentle tug.



FOREST CONTROLS

We have designed a new line of controls with a modern look and feel. Range of controls is up to 98'.

- The EasyTouch remote controls up to 6 systems, with the option to deactivate unused channels.
- EasyTouch wall switch is a sleek 2-channel option for your wall.



BOND BRIDGE PRO

With the Bond Bridge Pro, easily pair your Forest remote and get app control for Forest motorized window coverings and other devices all in one place.



SIDEKICK REMOTE

5- or 1-channel remote control. Pairs directly with drapery motor. Use with Bond Bridge Pro or without. Estimated 10-year battery life.

FOR ADDITIONAL CONTROL OPTIONS, SEE THE ROADMAP ON THE FOLLOWING PAGES.

MOTORIZATION CONTROLS ROADMAP



Wall Switch & Remote

Without feedback

RF

Compatible Shuttle Motors

S M iOn

Compatible Controls

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote



Voice and App Control local and remote

With feedback

WiFi

Connect using Forest WiFi Dongle



Integrations



Integrations when cloud services are present



Compatible Shuttle Motors

S M iOn

Compatible Controls w/ Dongle

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote

Without feedback

RF


Connect using Bond Bridge Pro



Integrations



Voice Assistants



And others

Compatible Shuttle Motors

S M iOn

Compatible Controls

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote



Wired Automation System
we advise you work with
an installation specialist

With feedback

Without feedback

RS485

Dry Contact

Integrations

Control4

CRESTRON

SAVANT

RCI

and others

Integrations

Control4

CRESTRON

SAVANT

LUTRON

and others

Compatible Shuttle Motors

S M iOn

Compatible Controls

Easy Touch Wall Switch

Easy Touch Remote

Sidekick Remote

Compatible Shuttle Motors

S M iOn

Compatible Controls

Easy Touch Wall Switch

Easy Touch Remote

Sidekick Remote



Forest specializes in the development, production and supply of highly innovative drapery tracks and window coverings. We offer track solutions catering to the hospitality industry. Whether you choose our motorized tracks or rods, shades or hand drawn rods your client will experience comfortable luxury and optimal ease of use.

THE WORLD BEHIND YOUR DRAPERIES

More than thirty years ago it started with a flexible aluminum system, known as the Forest KS® system. The product line was expanded at a rapid pace, always focusing on functionality and quality. The technologies conquered the world. Hotels across the globe are satisfied users of Forest systems including iconic hotels like the Venetian, Hardrock and the mega hotels in Dubai.

Forest Group B.V. sells its products in more than 100 countries worldwide and has sales offices in The Netherlands, the United States, China, United Arab Emirates, United Kingdom and Poland, ensuring global availability.

Some well-known and recognized features of the Forest track systems are:

- **High-quality standards:** We guarantee a long lifespan.
- **Comfort and quiet:** Drapes open and close silently, creating a serene and comfortable environment.
- **Adds style to windows:** Always perfectly hanging drapery thanks to our systems, including motorized solutions.
- **Smart integration:** Controllable via app, voice, and home automation systems for ultimate convenience.
- **Sustainability:** We use a minimum of 75% recycled aluminum in our tracks.
- **Unique warranty:** 10-year warranty.



Drapery engineering by Forest