

FMS[®] MOTORIZED TRACK



SMART HOME
READY



APP
CONTROL



WIRELESS
REMOTE




TOUCH
CONTROL

The FMS[®] motorized drapery track combines silent operation with exceptional strength and flexibility. Its bendable profile fits nearly any space and works effortlessly with all Forest Shuttle[®] motors, offering extensive control possibilities.

*FMS[®] MOTORIZED TRACK
FOREST SHUTTLE[®] HD MOTOR
FOREST SHUTTLE[®] ECO MOTOR
FOREST SHUTTLE[®] ION MOTOR*

THE WORLD
BEHIND
YOUR
DRAPERIES





FMS[®] MOTORIZED TRACK SYSTEM

- The original Forest motorized track, aluminum extrusion, white, powder coated and lubricated with a patented process. Ultra-quiet and smooth operation for contract or residential applications.
- Track can be bent or curved. An actual size template is required.
- Maximum weight is 6 lbs/ft.
- Motorize with any Forest Shuttle. All Forest Shuttle motors include a 10-year warranty, the only one on the market.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app.

ASSEMBLED SYSTEM







Includes track, masters, pinchpleat or ripplefold carriers, brackets, motor, and power supply plus choice of EasyTouch remote or wall switch.






FMS FINISHES XX = finish color











25
White











59
Black

FMS	COMPONENT
•	 <p>52925-25 Shuttle HD (M) white 52925-59 Shuttle HD (M) black 52939-25 Shuttle Eco (S) white</p>
•	 <p>52934-25 Shuttle HD & Eco Power Cord 24 volt power supply with 16' cord</p>
•	 <p>52926-25 Shuttle iOn white Includes battery charger below.</p>
•	 <p>52924-59 Shuttle iOn Battery Charger Additional charger for Shuttle iOn motor</p>
•	 <p>52949-25 Shuttle iOn Battery Pack Additional battery pack for Shuttle iOn motor</p>
•	 <p>52948-25 Wi-Fi Dongle - Order 1/motor For voice & app control over wi-fi. Provides bi-directional feedback. Use with Shuttles HD and Eco, not iOn.</p>

FMS	COMPONENT
•	 <p>52960-25 white 52960-59 black EasyTouch Remote 6 channel hand held remote Optional holder below can be ordered separately</p>
•	 <p>52961-00 EasyTouch Remote Holder Optional and must be ordered separately</p>
•	 <p>52933-25 white 52933-59 black +10% EasyTouch Wall Switch 2 channel</p>
•	 <p>52955-25 Bond Bridge Pro For voice and app control over RF. Easily pair using the Forest remote. Controls all of your devices in one hub.</p>
•	 <p>52954-25 Sidekick Remote Works with or without Bond Bridge Pro, 1-5 channels.</p>

FMS[®] MOTORIZED TRACK

FMS	COMPONENT
	<p>51319-25 white 59 black FMS Track 19' x 10 tracks per bundle bundle = 190'</p>
	<p>3906-25 59 black Track Connector and Key 3904-00</p>
	<p>3003-25 59 black HD Klick Ceiling Bracket</p>
	<p>30031-25 59 black Ceiling Bracket Cover</p>
	<p>53202-25 59 black 3" Klick Single Wall Bracket with wide base adjusts 3" - 4 1/2"</p>
	<p>53206-25 59 black 6" Klick Double Wall Bracket with wide base adjusts 2 1/2" - 4" and 6" - 7 1/2"</p>
	<p>Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape 2114-25, 59 black 60% fullness, 2 5/8" OC 2111-25, 59 black 80% fullness, 2 3/8" OC 2112-25, 59 black 100% fullness, 2 1/8" OC 2115-25, 59 black 120% fullness, 1 7/8" OC</p>
	<p>52008-25 59 black Slim Line Klick Carrier Draperies hang to conceal track</p>

FMS	COMPONENT
	<p>52009-25 Ball Bearing Carrier for motorization</p>
	<p>52508-25 Overlap Right 52509-25 Underlap Left 59 black Swivel Foot Multifunctional Master</p>
	<p>52508-25A Overlap Right 52509-25A Underlap Left 59A black Swivel Foot Multifunctional Master w/ snaps</p>
	<p>52410-25 Butt Right 52409-25 Butt Left 59 black Butt Master Carrier w/ snaps</p>
	<p>2552-25 6" Extension Arm for master Use w/ two one-way draw</p>
	<p>52903-25 59 black Forest Shuttle Motor Pulley Connects motor to track</p>
	<p>52909-25 Rollease Versa/Motionblinds Motor Pulley Connects motor to track</p>
	<p>52910-25 59 black Return Pulley</p>
	<p>9012-25 Transport Belt Kevlar reinforced</p>
	<p>52512-25 white 59 black Transport Belt Connector</p>

SHUTTLE MOTOR SPECIFICATIONS



SHUTTLE® HD (M)

SHUTTLE® ECO (S)




SPECIFICATIONS

VOLTAGE SHUTTLE	24V DC
RECEIVER	Internal, optional
POWER SUPPLY	External, 100-240V AC - 1.5A, 50-60Hz; Output 24V DC - 2.7A
MAX POWER	65W
TORQUE	1.5 Nm
TRAVEL SPEED	5.5" per second standard 7" per second maximum
NOISE LEVEL	< 40 dB(A)
MAXIMUM WEIGHT	160 lbs per motor 120 lbs per motor - curved track
DIMENSIONS	2.76" x 1.97" x 9.5"
CERTIFICATIONS/MARKINGS	CE/FCC/DOE
COLOR OPTIONS	White / Black

VOLTAGE SHUTTLE	24V DC
RECEIVER	Internal
POWER SUPPLY	External, 100-240V AC - 0.8A, 50-60Hz; Output 24V DC - 2.5A
MAX POWER	40W
TORQUE	1.0 Nm
TRAVEL SPEED	5.5" per second standard 7" per second maximum
NOISE LEVEL	< 40 dB(A)
MAXIMUM WEIGHT	100 lbs per motor 90 lbs per motor - curved track
DIMENSIONS	2.76" x 1.97" x 7.5"
CERTIFICATIONS/MARKINGS	CE/FCC/DOE
COLOR OPTIONS	White

FEATURES

TOUCH CONTROL TECHNOLOGY	√	√
INTEGRATED EMERGENCY CONTROL	√	√
RF COMMUNICATION STANDARD	√	√
Z-WAVE COMMUNICATION	-	-
AUTOMATION SYSTEM COMPATIBLE	√ using RS485 & dry contacts	√ using RS485 & dry contacts
WI-FI COMPATIBLE	√	√
WORKS WITH WIFI DONGLE	√	√
CAN BE USED WITH CURVED TRACK	√	√
PLUG & PLAY	√	√
WARRANTY	10 Years	10 Years



SMART HOME
READY



APP
CONTROL



WIRELESS
REMOTE



TOUCH
CONTROL

SHUTTLE[®] iOn



VOLTAGE SHUTTLE	14.8V DC
RECEIVER	Internal
BATTERY	Lithium iOn battery + charger (3-4 months between charges)
MAX POWER	30W
TORQUE	1.0 Nm
TRAVEL SPEED	5.5" per second standard
NOISE LEVEL	< 40 dB(A)
MAXIMUM WEIGHT	55 lbs per motor 40 lbs per motor - curved track
DIMENSIONS	2" x 3" x 12.25"
CERTIFICATIONS/MARKINGS	CE/FCC/DOE
COLOR OPTIONS	White

SPECIFICATIONS

TOUCH CONTROL TECHNOLOGY	✓
INTEGRATED EMERGENCY CONTROL	✓
RF COMMUNICATION STANDARD	✓
Z-WAVE COMMUNICATION	-
AUTOMATION SYSTEM COMPATIBLE	✓ using RS485 & dry contacts
WI-FI COMPATIBLE	✓
WORKS WITH WI-FI DONGLE	-
CAN BE USED WITH CURVED TRACK	✓
PLUG & PLAY	✓
WARRANTY	10 Years on motor 2 years on battery pack

FEATURES

Our wide variety of control options make finding a fit for your windows easy – controlling the drapes by hand, wall switch, remote or even by home automation system.



TOUCH CONTROL

Open or close your drapes with a gentle tug.



FOREST CONTROLS

We have designed a new line of controls with a modern look and feel. Range of controls is up to 98'.

- The EasyTouch remote controls up to 6 systems, with the option to deactivate unused channels.
- EasyTouch wall switch is a sleek 2-channel option for your wall.



BOND BRIDGE PRO

With the Bond Bridge Pro, easily pair your Forest remote and get app control for Forest motorized window coverings and other devices all in one place.



SIDEKICK REMOTE

5- or 1-channel remote control. Pairs directly with drapery motor. Use with Bond Bridge Pro or without. Estimated 10-year battery life.

FOR ADDITIONAL CONTROL OPTIONS, SEE THE ROADMAP ON THE FOLLOWING PAGES.

MOTORIZATION CONTROLS ROADMAP



Wall Switch & Remote

Without feedback

RF

Compatible Shuttle Motors

S M iOn

Compatible Controls

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote



Voice and App Control local and remote

With feedback

WiFi

Connect using Forest WiFi Dongle



Integrations

works with



works with



works with



works with



Integrations when cloud services are present



Without feedback

RF

Connect using Bond Bridge Pro



Integrations



Voice Assistants

works with



works with



works with



works with



And others

Compatible Shuttle Motors

S M iOn

Compatible Controls w/ Dongle

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote

Compatible Shuttle Motors

S M iOn

Compatible Controls

- Easy Touch Wall Switch
- Easy Touch Remote
- Sidekick Remote



Wired Automation System
we advise you work with
an installation specialist

With feedback

Without feedback

RS485

Dry Contact

Integrations

Control4

CRESTRON

SAVANT

RCI

and others

Integrations

Control4

CRESTRON

SAVANT

LUTRON

and others

Compatible Shuttle Motors

S M iOn

Compatible Controls

Easy Touch Wall Switch

Easy Touch Remote

Sidekick Remote

Compatible Shuttle Motors

S M iOn

Compatible Controls

Easy Touch Wall Switch

Easy Touch Remote

Sidekick Remote




FOREST FMS® SPECIFICATIONS



PRODUCT INFORMATION

- Compact and noiseless motorized track system
- All Shuttle® motors can be used on the FMS® System
- Available in white, and black
- Components in matching colours
- Motor can be mounted on the left or the right of the track
- One-way draw or center (split) draw
- Ceiling brackets and wall brackets available
- FMS track can be made in lengths of up to 19'
- FMS track can be curved/bent
- Warranty: 10 years




- ① Shuttle Motor
- ② Motor Pulley
- ③ FMS Track
- ④ FMS Return Pulley
- ⑤ Slim Line Klick Carrier
- ⑥ Master Carrier Underlap
- ⑦ Master Carrier Overlap
- ⑧ Stiffener Small




BENDING / CURVING

The FMS® track can be bent and reversed bent with a radius of 8". Continuous curving is also possible.



PROFILE


- Weight: 2.53 ounce per ft.
- Aluminum Extrusion
- Dimensions: 3/4" x 3/4"




FOR USE IN

Hotels, offices, residences, boats and yachts, showrooms, business meeting rooms, conference centers or anywhere a silent motorized track system is required for drapery.

APPLICATIONS



CLICK-ON STIFFENER



Forest specializes in the development, production and supply of highly innovative drapery tracks and window coverings. We offer track solutions catering to the hospitality industry. Whether you choose our motorized tracks or rods, shades or hand drawn rods your client will experience comfortable luxury and optimal ease of use.

THE WORLD BEHIND YOUR DRAPERIES

More than thirty years ago it started with a flexible aluminum system, known as the Forest KS® system. The product line was expanded at a rapid pace, always focusing on functionality and quality. The technologies conquered the world. Hotels across the globe are satisfied users of Forest systems including iconic hotels like the Venetian, Hardrock and the mega hotels in Dubai.

Forest Group B.V. sells its products in more than 100 countries worldwide and has sales offices in The Netherlands, the United States, China, United Arab Emirates, United Kingdom and Poland, ensuring global availability.

Some well-known and recognized features of the Forest track systems are:

- **High-quality standards:** We guarantee a long lifespan.
- **Comfort and quiet:** Drapes open and close silently, creating a serene and comfortable environment.
- **Adds style to windows:** Always perfectly hanging drapery thanks to our systems, including motorized solutions.
- **Smart integration:** Controllable via app, voice, and home automation systems for ultimate convenience.
- **Sustainability:** We use a minimum of 75% recycled aluminum in our tracks.
- **Unique warranty:** 10-year warranty.



Drapery engineering by Forest